



Luminaires for the **professional user!**

MAGNUM BATTERY XS SET



- Impact resistance: IK09
- Nominal power: 20 W
- Color temperature: 4000 K
- Luminous flux: 2300 lm
- Operating mode for battery-based operation for 2 Ah battery:
 - 200 lm, working time: 15 h
 - 750 lm, working time: 5 h
 - 1500 lm, working time: 2 h 30 min
 - 2300 lm, working time: 1 h 30 min

Compact LED floodlight for professional use. Provides uniform and stable directional lighting. Made of impact-resistant polypropylene (PP). Anti-glare diffuser made of polycarbonate (PC), transmits up to 80% of the light emitted by the LEDs. The smaller size and compact design make it convenient to transport. It is equipped with a switch with 4-step luminous flux control. It can be mounted on a Future Stand, significantly increasing the range and comfort of use.

MAGNUM BATTERY XS is also available as a set with a capacious, branded and durable battery and charger. The battery is compatible with other Bosch devices in the 18V Professional System. The device has a battery level indicator.







Item no.	Description	
249013	Luminaire Magnum Battery XS + 1x Battery Bosch 2Ah	124,50 €
249020	Luminaire Magnum Battery XS + 1x Battery Bosch 2Ah + Charger Bosch GAL 18V-40	154,50 €
249303	Luminaire Magnum Battery XS + 2x Battery Bosch 2Ah	144,50 €
249310	Luminaire Magnum Battery XS + 2x Battery Bosch 2Ah + Charger Bosch GAL 18V-40	172,00€

MAGNUM BATTERY M SET



Compact LED floodlight for professional use. Provides uniform and stable directional lighting. Made of impact-resistant polypropylene (PP). Anti-glare diffuser made of polycarbonate (PC), transmits up to 80% of the light emitted by the LEDs. Magnum Battery M has larger dimensions than Magnum Battery XS, but is still easy to transport and is characterized by a higher impact resistance (IK10) and a higher maximum value of the luminous flux. It is equipped with a switch with 4-step luminous flux control. It can be mounted on a Future Stand, significantly increasing the range and comfort of use.


MAGNUM BATTERY M is also available as a set with a capacious, branded and durable battery and charger. The battery is compatible with other Bosch devices in the 18V Professional System. The device has a battery level indicator.



Item no.	Description	Net special price
249327	Luminaire Magnum Battery M + 1x Battery Bosch 2Ah + Stand 2,0 m with CLICK Function	199,75 €
249334	Luminaire Magnum Battery M + 1x Battery Bosch 2Ah + Charger Bosch GAL 18V-40 + Stand 2,0 m with CLICK Function	224,75€
249341	Luminaire Magnum Battery M + 2x Battery Bosch 2Ah + Stand 2,0 m with CLICK Function	216,00€
249358	Luminaire Magnum Battery M + 1x Battery Bosch 2Ah + Charger Bosch GAL 18V-40 + Stand 2,0 m with CLICK Function	241,00 €



- Impact resistance: IK10
- Nominal power: 30 W
- Color temperature: 4000 K
- Luminous flux: 4050 lm
- Operating mode for battery-based operation for 2 Ah battery:
 - 500 lm, working time: 9 h
 - 1850 lm, working time: 2 h 30 min
 - 2750 lm, working time: 1 h 30 min
 - 4050 lm, working time: 1 h



Luminaires for the professional user!

MAGNUM BATTERY L SET





- Impact resistance: IK10
- Nominal power: 70 W
- Color temperature: 4000 K
- Luminous flux: 9250 lm
- Operating mode for battery-based operation for 2 Ah battery:
 - 1000 lm, working time: 5 h
 - 3800 lm, working time: 1 h 15 min
 - 5650 lm, working time: 45 min
 - 9250 lm, working time: 25 min

Compact LED floodlight for professional use. Provides uniform and stable directional lighting. Made of impact-resistant polypropylene (PP). Anti-glare diffuser made of polycarbonate (PC), transmits up to 80% of the light emitted by the LEDs. The most powerful floodlight from the Magnum Battery family. The maximum value of its luminous flux is 9250 lm. It is equipped with a switch with 4-step luminous flux control. It can be mounted on a Future Stand, significantly increasing the range and comfort of use.

MAGNUM BATTERY L is also available as a set with a capacious, branded and durable battery and charger. The battery is compatible with other Bosch devices in the 18V Professional System. The device has Battery level indicator.







	Item no.	Description	
	249365	Luminaire Magnum Battery L + 1x Battery Bosch 2Ah + Stand 2,0 m with CLICK Function	
	249372	Luminaire Magnum Battery L + 1x Battery Bosch 2Ah + Charger Bosch GAL 18V-40 + Stand 2,0 m with CLICK Function	
	249389	Luminaire Magnum Battery L + 2x Battery Bosch 2Ah + Stand 2,0 m with CLICK Function	236,50€
	249396	Luminaire Magnum Battery L + 1x Battery Bosch 2Ah + Charger Bosch GAL 18V-40 + Stand 2,0 m with CLICK Function	262,25€

GIANT LED EVO

Luminous flux: 33144 Im

- Light source: SMD LED
- Power: 227 W
- Ingress protection class: IP54
- Impact-resistant casing
 and ergonomic handle
- Anti-glare diffuser made
 of polycarbonate
- Rubber cable
 H07RN-F 2 x 1,0 mm² (5 m)
- Two sockets that allow the connection of other electrical devices or serial luminaire connection

Item no.	Description Net specia price	
901263	Giant LED EVO with two sockets (Type E)	249,50 €
901256	Giant LED EVO with two sockets (Type F)	249,50 €

MAGNUM BATTERY XS

- Impact resistance: IK09
- Nominal power: 20 W
- Color temperature: 4000 K
- Supply voltage: 18V
- Electrical protection class: III
- Luminaire compatible with Battery
 BOSCH 18V PROFESSIONAL
- Luminaire working time with Battery BOSCH 2Ah PROFESSIONAL:
 200 lm, working time: 15 h
 - •750 lm, working time: 5 h
- •1500 lm, working time: 2 h 30 min
- •2300 lm, working time: 1 h 30 min

Item no.	Description	Net special price
249006	Magnum Battery XS (without battery and charger)	99,50 €

STAND FOR GIANT LUMINAIRE



- Steel tripod
- Extended length: 3 meters
- Folded length: 1,22 meters
- Leg spacing: 134 cm
- Pipe diameter (leg): 2,5 cm
- Load capacity: 30 kg
- Weight: 5,4 kg
- Color: black
- Accessories: Adapter plate
 with click function for Giant
 Luminaires

Item no.	Description	Net special price
000294	Stand for Giant Luminaires 3 m	67,25€
000300	Adapter plate with click function for mounting the Giant Luminaire on the tripod	24,80€

MAGNUM FUTURE LED XS



- Ingress protection class: IP44
- Impact resistance: IK10
- Nominal power: 20 W
- Color temperature: 4000 K
- Luminous flux: 2300 lm
- Supply voltage: 220 240V
- Electrical protection class: I
- Luminaire casing material: PP
- Diffuser material: PC
- Beam angle: 120°
- Luminaire casing color: gray
- Luminaire net weight: 1 kg

ltem no.	Description	Net special price
248368	Magnum Future LED XS with socket (Type E)	49,50 €
248405	Magnum Future LED XS with socket (Type F)	49,50 €

www.lenalighting.pl

Luminaires for the professional user!



MAGNUM FUTURE LED XL MAX 78 W

- Luminous flux: 11000 lm • Electrical protection class: IP54
- Impact resistance: IK10
- Nominal power: 78 W
- Color temperature: 4000 K
- Supply voltage: 220 240V
- Electrical protection class: I
- Dimensions: 300x480x75 mm Diffuser material: PC
- Two sockets that allow the connection of other electrical devices or serial luminaire connection

Item no.	Description	Net special price
248955	Magnum Future LED XL MAX with 2 sockets (Type E) and switch	149,50 €
248931	Magnum Future LED XL MAX with 2 sockets (Type F) and switch	149,50 €

LUMINAIRE SET FLATO L ON STAND

47 W



- 200 cm/108 cm Leg spacing: 92 cm
- Pipe diameter (leg): 3,5 cm

The set consists of 2 Flato L lamps

• Rated power of the luminaire:

Color temperature: 4000 K

Ingress protection class: IP54

• Luminous flux: 4600 lm

Impact resistance: IK07

Energy efficiency class: A

• Luminaire casing material: PP

Stand: Extended/folded length:

Load capacity: 15 kg

Net special

price

114,00 €

PLASTER LITE FUTURE LED



The basic tool for plastering and fine plastering work

- Ingress protection class: IP54
- Impact resistance: IK07
- Nominal power: 49 W
- Color temperature: 4000 K
- Luminous flux: 6400 lm
- Supply voltage: 220 240V • Electrical protection class: I

Net special Item no. Description price 149,50 € 359217 Plaster Lite Future LED

MAGNUM FUTURE LED XS ACCU

- Ingress protection class: IP54/20
- Impact resistance: IK10
- Nominal power: 20 W
- Charging time: 4 h
- Lighting time: 650 lm 6 h, 1000 lm - 4 h, 2000 lm - 2 h
- Color temperature: 4000 K
- Luminous flux: 2000 lm
- Supply voltage: 220 240 V
- Energy efficiency class: A+
- Electrical protection class: II
- Luminaire casing material: PP

Item no.	Description	Net special price
248511	Magnum Future LED XS Battery	114,00 €
315039	Magnet Set for Magnum Future XS Battery	12,25€

FLATO LED L

Description

Set 2 x Flato LED L with Stand 2 m

Item no.

622359

- · Light source: LED Module
- Rated power of the luminaire:
- 47 W
- Color temperature: 4000 K
- Impact resistance: IK07
- Energy efficiency class: A
- Luminaire casing material: PP
- Luminaire casing color: gra
- Diffuser

\cap	
	2

Nominal power: 20 W

SITE LITE FUTURE LED ACCU

Color temperature: 4000 K

Wireless Luminaire

- Luminous flux: 2000 Im
- Ingress protection class: IP54/20
- Frequency: 50 60 Hz
- Beam angle: 360°
- Energy efficiency class: A+
- Electrical protection class: III
- Luminaire casing material: PP + T
- Diffuser material: PC
- Color rendering index (Ra): >80
- Charging time: 4 h
- Battery working time: 6 h

Item no.	Description	Net special price
621444	Site Lite Future Battery	124,50 €

- Luminous flux: 4600 lm Ingress protection class: IP54

- Diffuser

e casing color: graphite	
material: PC	
type: OPAL	

Item no.	Description	Net special price
622199	Flato LED L	39,25€





FUTURE BALL LED



360° light - ideal for painters and plasterers

- Light source: highly efficient LED
- Power: 20 W
- Maximum luminous flux: 2400 lm
- Ingress protection class: IP54
- Impact resistance class: IK10
- Even light distribution
- Diffuser made of frozen PC
- Foldable hook
- Cable: H07RN-F 3 x 1,5 mm (5 m)
- Cable reel in the housing of the luminaire

Item no.	Description	Net special price
619236	Future Ball LED with sockets (Type E) and switch	74,00 €
619212	Future Ball LED with sockets (Type F) and switch	74,00 €

FUTURE STAND TRIPOD



- Future Stand Tripod with Click Head System
- Stand for tool-free and quick assembly of all Magnum Future lamps
- · Extended length: 200 cm
- Folded length: 108 cm
- Leg spacing: 92 cm
- Pipe diameter (leg): 3,5 cm
- Load capacity: 15 kg
- Weight: 2,3 kg
- Color: black

Item no.	Description	Net special price
000737	Future Stand Tripod	49,50 €

Lamps for car workshops and inspection stations

	 Light source: 2 W COB LED + 1 W SMD LED (above) Luminous flux: 2 W COB - 200 lm, 1 W SMD - 100 lm Strong magnet in base Protection class III Retractable rotatable hook 		+ 1 W SI • Lumino 1 W SM	burce: 5 W COB LED MD LED (above) bus flux: 5 W COB - 450 lm, ID - 120 lm		Power: 12 W Luminous flux: 1 Light source: SN	
	 Luminous flux: 2 W COB - 200 lm, 1 W SMD - 100 lm Strong magnet in base Protection class III 		Lumino 1 W SM	bus flux: 5 W COB - 450 lm,		Light source: SN	
Q	1 W SMD - 100 lm • Strong magnet in base • Protection class III		1 W SM			-	VID LED
	Strong magnet in baseProtection class III		0	12 - 120 III		Matt diffusor ma	do
Q	Protection class III		- Strong	magnet in base		Matt diffuser ma of polycarbonat	
Ų.			· · ·	ion class III		Handle and cap	
	- Reflectable Foldtable Hook			narger in set 100-240		Ingress protecti	
	USB charger in set 100-240			5V 1A + 1,5 m micro		Rubber cable:	011 01033. 11 44
	AC/DC 5 V 1A + 1,5 m micro	1		Li-ion 3,7V 2600 mAh		H05RR-F 2 x 1 r	nm² (5 m)
	 Battery Li-ion 3,7 V 2200mAh 	1		covered with rubber		Possibility to bu	
	Lamp covered with rubber			ng time: 3 h		assemblies	y and replace
	Charging time: 3 h			g time: 3 h - High,		Bracket made o	of aluminum
	 Lighting time: 3,5 h - Main 	- 1	5,5 h - l			Bracket spacing	
	luminaire, 8 h - flashlight	-		level and low battery		Weight with lum	
	Indicator of battery charging state		indicato	-		trengine their team	
	Movable handle +/- 180°			novable in the range of 120°			
					Item no.	Description	Net spec price
tem no. Descript	tion Net special price	Item no.	Description	Net special price		Engine compartment light Profi Slim	
334719 Avior CO	B LED 39,00 €	334764	Crane COB LED	44,75 €	378232	with telescopic bracket	54,00€
	Light source: 4 W COB LED		• Light sc	ource: COB LED		Ideal for illuminat	ing industrial
	+ 4 W SMD LED (above)		Lighting	g time: 300 lm - 2,5 h,		machines as well a	as lifting platfo
0	• Lighting time: 400 lm - 3,5 h,		150 lm -	- 4 h		1	
<u> </u>	120 lm - 10 h		Upper	part movable in the		Light source: LE	D
	Protection class III		range o	of 60		Ingress protecti	on class: IP54
	microUSB charger in set 100-240		Protect	ion class III		Impact resistance	ce: IK10
	AC/DC 5V 1A + 1 m microUSB		 microU⁴ 	SB charger in set 100 - 240		Rated power of	the luminaire:
	Ingress protection class: IP54		AC/DC	5V 1A + 1 m microUSB		Luminous flux: 1	700 lm
0	Dimensions: 255x58x45 mm			sions: 78x475x42 mm		Color temperate	ure: 4000 K
	• Weight: 110 g		Weight:	: 110 g		Color rendering	j index
	Battery Li-ion 3,7V 2600 mAh		-	Li-ion 3,7 V 1500 mAh		(Ra): >80, SDCN	
	Charging time: 3 h		-	ng time: 3 h		Energy efficience	-
	Magnet on the bottom of the lamp					Electrical protect	ction class: II
				n design and materials nighest quality	Item no.	Description	Net spec price
			or the f.	ing i cost quality			
			orther	ing index quanty	888809	Type 101 LED	99,50 €
	Magnet on the bottom of the lamp		IndicatoNon-slijModern	or of battery charging state p strap n design and materials	Item no.	Electrical protect	



PROFI SLIM LINE LED

Ideal for lifting platforms



Light source: SMD LED

- Luminous flux: max. 2550 lm
- Power: 2 x 14 W
- Ingress protection class: IP65
- Impact-resistant casing
- Anti-glare diffuser made
 of frozen polycarbonate

Item no.	Description	Net special price
378805	2x lifting platforms light Profi Slim Line LED including power supply unit, wiring and mounting bracket	224,50€
378751	Profi Slim Line LED magnetic bracket	4,90 €
378768	Profi Slim Line LED mounting screw bracket (2 pcs.)	1,25 €

CLIMA EVO UV

Luminaire for diagnosing air conditioning leaks



• Power: 1 W

- Light source: UV LED
- Aluminum housing
- High electrical protection
 class IP54
- Switch in the housing
- Included in set:
- black strap
- batteries (6 x AAA)
- UV glasses
- Weight: 0,2 kg

Item no.	Description	Net special price
608575	Clima EVO	23,50 €

www.**lenalighting**.pl

MAGNUM MULTI BATTERY

New, innovative system that allows luminaire usage to be controlled with the help of various battery systems. If you are a cordless tool user, and use an 18V battery from the following manufacturers:

- Bosch 18V Professional
- Milwaukee
- DeWalt
- Berner

Item no.	Description	Net special price
249068	Magnum MultiBattery XS 2300 lm	122,00 €
249075	Magnum MultiBattery M 4050 lm	144,50 €
249082	Magnum MultiBattery L 9250 Im	187,25€

Variants:





Magnum XS MultiBattery

2300 lm





Magnum M MultiBattery

4050 lm





Magnum L MultiBattery

9250 lm

Impact-resistant luminaire for professionals

High luminous flux in a robust and lightweight housing

Hand lamps

COBUS COB LED DIUNA COB LED DRAGO LED Light source: COB LED • Light source: COB LED • Light source: COB LED • Luminous flux: 200 lm · Luminous flux: 2 W COB - 220 Im -· Luminous flux: 290 lm • Strong magnet in base High, 100 lm - Low • Upper rotatable part in the range Protection class III of 180° horizontally and 120° vertically • Strong magnet in base Rotatable hook Flashlight function Strong magnet in base Protection class III • Dimensions: 160x49x37 mm Protection class III • Weight: 0,2 kg Retractable rotatable hook Rotatable hook Battery Li-ion 3,7V 2200mAh • USB charger in set 100-240 in the housing AC/DC 5V 1A + 1,5 m • Lamp covered with rubber • USB charger in set 100-240 Dimensions: 285x40x40 mm • Battery working time: 5 h AC/DC 5V 1A + 1,5 m micro • Weight: 0,3 kg Charging time: 4 h • Weight: 0,175 kg • Indicator of battery charging state Battery Li-ion 3,7V 1500mAh Battery Li-ion 3,7V 2200 mAh · Lamp covered with rubber Charging time: 4 h Lighting time: 4 h Charging time: 4 h • Movable handle +/- 180° Lighting time: 4 h Indicator of battery charging state Net special Net special Net special Description Description Description Item no. Item no. Item no. price price price 334665 Diuna COB LED 10,90 € 334566 Drago LED 20,75€ 334559 Cobus COB LED 29,75€ **EYE COB LED STOF COB LED OPTIM LED** Light source: COB LED • Light source: COB LED Light source: SMD LED • Lighting time: 500 lm - 2,5 h, • Diffuser made of transparent PVC Luminous flux: 230 lm 0 250 lm - 5 h, 100 lm - 10 h • 3 built-in magnets Power: 2 W • Upper rotatable part in the range Rotatable hook Ingress protection class: IP20 of 180° horizontally and 120° vertically Akku Li-ion 3,7V 2200mAh • Electrical protection class: II • Strong magnet in base Charging time: 4 h Cover made of PVC Protection class III • Working time: 4 h Cap and handle made of PP Rotatable hook · Power supply unit: Input Swivel suspension AC110-240V/DC 12V, • Weight: 0,4 kg • microUSB charger in set 100-240 AC/DC 5V 1A + 1 m microUSB output 5V 500mA Cable: • Dimensions: 52x41,5x266 mm H05VV-F 2 x 0,75 mm² (5 m) Weight: 0,2 kg

· In set with vehicle

and mains charger

Net special price	Item no.	Description	Net special price	Item no.	Description	Net special price
22,25€	334436	Stof COB LED	14,00 €	205958	Optim LED	11,00 €

Description

Eye COB LED

Item no.

334641

• Weight: 0,33 kg

Battery Li-ion 3,7V 2600 mAh

• Indicator of battery charging state

• Lamp covered with rubber Charging time: 4 h



HANDY COB LED



• Power: 1 W

- Light source: COB LED
- Ingress protection class: IP20
- Housing made of rubber-coated ABS
- Diffuser made of transparent PVC
- Multi-position arm (angle 150°)
- 2 built-in magnets on the back of the luminaire
- Function of a rotatable head flashlight (angle 180°)
- Battery: Batteries 3 x AAA in set
- Weight: 0,12 kg

ltem no.	Description	Net special price
520419	Handy COB LED	8,90€
		· ·

ELECTRONIC LED 2 W



- Power: 2 W
- Luminous flux: 200 lm
- Light source: SMD LED
- Ingress protection class: IP20
- Electrical protection class: II
- Cap and handle made of polyethylene
- Cover made of PVC
- Swivel suspension
- Weight: 0,4 kg
- Cable:

H05VV-F 2 x 0,75 mm² (5 m)

Item no.	Description	Net special price
271038	Electronic LED 2 W	13,50 €

Hand lamps

HOBBY 32 W **FUTURE FLEX** HANDY FUTURE LED • Light source: 3 W COB LED Ingress protection class: IP44 • Light source: SMD LED • Impact resistance: IK10 • Lighting time: 400 lm - 2 h, + 3 W LED 200 lm - 4 h, 100 lm - 8 h • Rated power of the luminaire: Luminous flux: 60 and 150 lm • Beam angle 60/45° Strong magnet in base 32 W • Elastic joint 360° Color temperature: 4000 K Durable casing • Very high electrical protection Luminous flux: 3600 lm Dimensions: 155x40x20 mm • Supply voltage: 220 - 240V class: IP65 2 lighting modes Electrical protection class: II Retractable rotatable hook Ingress protection class: IP20 in the handle Rotatable hook • Luminaire casing material: PP • Luminaire casing color: green • 3 neodymium magnets in the base Charging time: 3,5 h • Battery Li-ion 3,7V 2200mAh • Lighting time: 2,5 h • Diffuser material: PC Diffuser type: frozen • Charging time: 2,5 h Indicator of battery charging • Indicator of battery charging state state • Weight: 0,3 kg Net special Description

Item no.	Description	Net special price	Item no.	Description	Net special price	Item no.
406447	Hobby 32 W	49,75 €	246982	Future Flex	49,75 €	608551

price	
608551 Handy Future LED 14,00 €	608551

GUMMI IP44



- Socket: E27
 (light bulb not included)
- Galvanized steel protective grille
- Glass diffuserBracket and protection ring
- made of rubber
- Electrical protection class: II
- Cable:
- H05VV-F 2 x 0,75 mm² (5 m) • Weight: 0,85 kg
- Weight. 0,65 kg
- Increased ingress protection
 of the luminaire in class IP44

CLASSIC



- Socket: E27
- (light bulb not included)
- Galvanized steel protective grille
- Electrical protection class: II
- Diffuser: PC
- Bracket made of plastic
- Weight: 0,85 kg
- Cable: H05VV-F 2 x 0,75 mm² (5 m)

Iter	n no.	Description	Net special price
00	0133	Gummi IP44	12,25 €

Item no.	Description	Net special price
000058	Classic	8,90 €



HANDY MULTI LED



- Light source: 5 W COB LED
 + 2 x 3 W LED
- Luminous flux: 240 and 400 lm
- Strong magnet in base
- Durable casing
- Dimensions: 150x48x39 mm
- 2 lighting modes
- Ingress protection class: IP40
- Charging time: 3,5 h
- Lighting time: 2,5 4 h
- Stepless dimming
 and brightening

Item no.	Description	Net special price
608568	Handy Multi LED	24,95€

i)

Promotion duration while stocks last!

From the time the promotion comes into effect, all previous special promotions are void. Sale exclusively through specialist dealers. We reserve the right to correct errors, as well as to make changes in the technical product descriptions in the course of the special offer. Prices valid until 31 December 2021. All prices in EUR per piece/set excluding VAT. We also refer to our general terms and conditions.



Retailers:



Lena Lighting S.A. ul. Kórnicka 52 63-000 Środa Wielkopolska Poland tel. +48 (61) 28 60 300 e-mail: office@lenalighting.pl

www.lenalighting.pl